



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Category	General Application	Primary Use	(Retrofit Kits only) Luminaire Specific / General Purpose	Classification	Is Parent?
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	FALSE
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	FALSE
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	TRUE
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019D0	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	FALSE
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U	Indoor Luminaires	High-Bay	High-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U	Outdoor Luminaires	Low Output	Parking Garage Luminaires		Standard	TRUE
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U	Outdoor Luminaires	Low Output	Parking Garage Luminaires		Standard	FALSE
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U	Outdoor Luminaires	Low Output	Parking Garage Luminaires		Standard	FALSE
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U	Outdoor Luminaires	Low Output	Parking Garage Luminaires		Standard	FALSE
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	TRUE
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	TRUE
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)	Indoor Luminaires	High-Bay	Low-Bay Luminaires for Commercial and Industrial Buildings		Standard	TRUE
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2	Outdoor Luminaires	Mid Output	Parking Garage Luminaires		Standard	TRUE

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Date De-Listed	Tested Light Output	Tested Efficacy	Tested Wattage	Tested Total Harmonic Distortion	Tested Power Factor	Tested CCT	Tested CRI	Warranty
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U									
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U									
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U		7784	112.4	69.23	9.2	0.9918	3542	82.99	5
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U									
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U									
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U		18536	133.8	138.52	8.86	0.9923	3526	83.05	5
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U									
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U									
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U		8980	129.5	69.35	8.92	0.992	3515	82.97	5
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U									
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U									
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U		6444	121.8	52.922	9.02	0.9792	3542	83.13	5
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U									
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U									
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U		6438	122.1	52.71	8.621	0.9717	3529	82.88	5
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)		10920	121.4	89.94	12.263	0.9671	4140	85.79	5
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V		9968	121.2	82.242	10.181	0.9823	4131	85.81	5
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U		11220	107.4	104.5	9.15	0.968	4036	83.5	5
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U		12400	117.1	105.9	19.6	0.942	3984	83.5	5
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U		18227	101.5	179.43	12.086	0.967	3066	83.3	5
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U		15990	107.5	148.72	14.701	0.9751	3120	82.51	5
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U									
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U									
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U									
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U									
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U									
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U									
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U									
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U									
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U									
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U									
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U									
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U									
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U									
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U									
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U		7529	101.3	74.34	14.581	0.975	3124	82.62	5
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U		6619	86.3	76.67	9.502	0.9667	3088	83.72	5
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U		5402	103.1	52.394	15.256	0.9669	3468	82.95	5
P000019D0	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)									
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U									
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4-LED-SMW-4-CC-UPDATE-H-840-U		13860	91.8	151	10.52	0.948	3950	85.71	
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U		3068	73.44	41.77	18.91	0.92	3070	84.06	5
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U									
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U									
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U									
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1		5014	98.09	51.115	18.032	0.9368	4082	82.77	5
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2		8710	103.82	83.892	19.26	0.9167	4091	82.51	5
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2		8110	96.79	83.792	19.261	0.9167	4110	82.76	5
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2		7648	91.36	83.717	19.261	0.9167	4118	82.82	5
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)		7355	91.8	80.089	18.286	0.9091	4026	83.4	5
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2		6924	86.96	79.24	18.286	0.9091	4029	84	5

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Lifetime	Date Qualified	Dimming Status	Dimming Type	Has Integral Controls	Notes	Family Name	Zonal Lumens: 0-90Â°	Zonal Lumens: 80-90Â°
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U		00:00.0			NotYetVerified		HHHCEC		
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U		00:00.0			NotYetVerified		HHHCEC		
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U	50000	00:00.0			NotYetVerified		HHHCEC		
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U		00:00.0			NotYetVerified		HHHCEC		
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U		00:00.0			NotYetVerified		HHHCEC		
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U	50000	00:00.0			NotYetVerified		HHHCEC		
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U		00:00.0			NotYetVerified		HHHCEE		
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U		00:00.0			NotYetVerified		HHHCEE		
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U	50000	00:00.0			NotYetVerified		HHHCEE		
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U		00:00.0			NotYetVerified		HHHCEF		
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U		00:00.0			NotYetVerified		HHHCEF		
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U	50000	00:00.0			NotYetVerified		HHHCEF		
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U		00:00.0			NotYetVerified		HHHCEG		
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U		00:00.0			NotYetVerified		HHHCEG		
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U	50000	00:00.0			NotYetVerified		HHHCEG		
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)	50000	00:00.0			No		UUUAPN		
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V	50000	00:00.0			No		UUUAPN		
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U	50000	00:00.0			No		UUUAPG		
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U	50000	00:00.0			No		UUUAPH		
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U		00:00.0			NotYetVerified		FFFFLH		
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U		00:00.0			NotYetVerified		FFFFLI		
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U		00:00.0			NotYetVerified		FFFFLI		
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U		00:00.0			NotYetVerified		FFFFLH		
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U		00:00.0			NotYetVerified		FFFFLI		
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U		00:00.0			NotYetVerified		FFFFLH		
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U		00:00.0			NotYetVerified		FFFFLI		
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U		00:00.0			NotYetVerified		FFFFLH		
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U		00:00.0			NotYetVerified		CCCDBJ		
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U		00:00.0			NotYetVerified		CCCDBK		
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U		00:00.0			NotYetVerified		CCCDBL		
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U		00:00.0			NotYetVerified		CCCDBK		
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U		00:00.0			NotYetVerified		CCCDBK		
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U		00:00.0			NotYetVerified		CCCDBJ		
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U		00:00.0			NotYetVerified		CCCDBJ		
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U		00:00.0			NotYetVerified		CCCDBL		
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U		00:00.0			NotYetVerified		CCCDBJ		
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U		00:00.0			NotYetVerified		CCCDBK		
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U		00:00.0			NotYetVerified		CCCDBL		
P000019DO	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)		00:00.0			NotYetVerified		AAAHHH		
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U		00:00.0			NotYetVerified		KKKKTD		
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U		00:00.0			NotYetVerified		KKKKTD		
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U	50000	00:00.0			NotYetVerified		JJJJSE		
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U		00:00.0			NotYetVerified		JJJJSE		
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U		00:00.0			NotYetVerified		JJJJSE		
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U		00:00.0			NotYetVerified		JJJJSE		
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1	50000	00:00.0			NotYetVerified		AAAERN		
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2	50000	00:00.0			NotYetVerified		AAAERL		
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2	50000	00:00.0			NotYetVerified		AAAERK		
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2	50000	00:00.0			NotYetVerified		AAAERM		
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)	50000	00:00.0			NotYetVerified		AAAHHH		
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2		00:00.0			NotYetVerified		AAAECB		

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Zonal Lumens: 90-110Å*	Zonal Lumens: >110Å*	Zonal Lumens: 20-40Å*	Zonal Lumens: 60-70Å*	Zonal Lumens: 70-80Å*	Zonal Lumens: 60-80Å*
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U						
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U						
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U					15.4	31
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U						
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U						
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U						
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U						
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U						
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U						
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U						
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U						
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U						
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U						
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U						
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U						
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)						
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V						
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U						
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U						
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U						
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U						
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U						
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U						
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U						
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U						
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U						
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U						
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U						
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U						
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U						
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U						
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U						
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U						
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U						
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U						
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U						
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U						
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U						
P000019DO	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)						
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U						
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4-LED-SMW-4-CC-UPDATE-H-840-U						
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U				18		35.3
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U						
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U						
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U						
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1				16.5		32.7
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2						
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2						
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2				16.5		32.7
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)						
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2				15.6		32.7

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Zonal Lumens: 0-40Å*	Zonal Lumens: 40-70Å*	Zonal Lumens: 10-90Å*	Zonal Lumens: 0-80Å*	Zonal Lumens: 20-50Å*	Zonal Lumens: 0-20Å*
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U						
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U						
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U						
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U						
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U						
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U					45.5	
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U						
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U						
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U					49.6	
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U						
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U						
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U					45.4	
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U						
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U						
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U					48.7	
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)					48.8	
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V					49	
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U					48	
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U					48.5	
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U					47.7	
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U					48.4	
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U						
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U						
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U						
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U						
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U						
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U						
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U						
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U						
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U						
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U						
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U						
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U						
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U						
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U						
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U					45.8	
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U					45.5	
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U					45.9	
P000019DO	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)						
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U						
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U					47.75	
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U						
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U						
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U						
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U						
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1						
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2					35.9	
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2					38.1	
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2						
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)					38.1	
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2						

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check [www.designlights.org](http://www.designlights.org) to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Zonal Lumens: 30-60Å	Zonal Lumens: 0-60Å	Zonal Lumens: 90-150Å	Spacing Criteria: 0-180Å	Spacing Criteria: 90-270Å
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U					
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U					
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U					
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U					
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U					
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U					
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U					
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U					
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U					
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U					
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U					
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U					
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U					
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U					
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U					
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)					
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V					
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U					
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U					
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U					
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U					
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U					
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U					
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U					
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U					
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U					
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U					
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U					
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U					
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U					
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U					
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U					
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U					
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U					
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U					
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U					
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U					
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U					
P000019DO	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)					
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U					
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U					
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U					
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U					
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U					
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U					
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1					
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2					
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2					
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2					
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)					
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2					

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check [www.designlights.org](http://www.designlights.org) to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Spacing Criteria: 0-180° Troffer #1	Spacing Criteria: 90-270° Troffer #1	Spacing Criteria: 0-180° Troffer #2	Spacing Criteria: 90-270° Troffer #2
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U				
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U				
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U				
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U				
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U				
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U				
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U				
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U				
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U				
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U				
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U				
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U				
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U				
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U				
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U				
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)				
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V				
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U				
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U				
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U				
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U				
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U				
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U				
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U				
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U				
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U				
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U				
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U				
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U				
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U				
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U				
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U				
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U				
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U				
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U				
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U				
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U				
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U				
P000019DO	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)				
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U				
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4-LED-SMW-4-CC-UPDATE-H-840-U				
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U				
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U				
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U				
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U				
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1				
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2				
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2				
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2				
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)				
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2				

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.



\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	NEMA Beam Type: 0-180Å*	NEMA Beam Type: 90-270Å*	Technical Requirements Version Number	Reported Light Output	Reported Efficacy
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U			4.1	7800	110
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U			4.1	7900	111
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U			4.1	7700	108
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U			4.1	18650	133
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U			4.1	18800	134
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U			4.1	18500	132
PUGTPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U			4.1	8950	126
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U			4.1	9000	127
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U			4.1	8900	125
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U			4.1	6450	119
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U			4.1	6500	120
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U			4.1	6400	119
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U			4.1	6550	121
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U			4.1	6700	124
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U			4.1	6400	118
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)			3.1	10920	121.4
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V			3.1	9968	121.2
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U			3.1	10990	105.2
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U			3.1	12150	114.7
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U			2.1	18200	101
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U			2.1	16000	107
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U				16250	109
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U				19100	106
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U				16500	111
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U				20000	111
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U				16750	113
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U				21000	116
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U				7800	106
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U				7163	92.5
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U				5500	106
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U				7000	90
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U				6800	88
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U				7700	105
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U				7600	103
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U				5700	109
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U			2.1	7500	101
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U			2.1	6619	86.3
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U			2.1	5400	103
P000019D0	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)				7894	80.135
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U				13860	91.8
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U			2.1	13860	91.8
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U			2.1	3067.8	73.6
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U				3067.8	73.6
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U				3546	73.6
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U				3067.8	73.6
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1			2	5000	98
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2			2	8700	103
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2			2	8100	95
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2			2	7600	90
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)			2	7355	91.8
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2			2	6924	87

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.





\*\*This list is for the use of sponsors of the DesignLights Consortium (DLC) in operation of their commercial lighting programs. The QPL is updated regularly. Please refer to the date last updated, below, and check www.designlights.org to ensure you are using the most current version.

Product Id	Manufacturer	Brand Name	Model No.	Reported Wattage	Reported Total Harmonic Distortion	Reported Power Factor	Reported CCT	Reported CRI	Rf	Rg	Luminaire Length
P864FEST	SLP Lighting	Citadel	CT2-LED-2L4-PG-40-U	71	20	0.9	4000	84			
PY73GUMG	SLP Lighting	Citadel	CT2-LED-2L4-PG-50-U	71	20	0.9	5000	85			
PNDMCK5C	SLP Lighting	Citadel	CT2-LED-2L4-PG-35-U	71	20	0.9	3500	83			
PUYN38NV	SLP Lighting	Citadel	CT2-LED-2L8-LB-40-U	140	20	0.9	4000	84			
PQNN6SBC	SLP Lighting	Citadel	CT2-LED-2L8-LB-50-U	140	20	0.9	5000	85			
PG4D292R	SLP Lighting	Citadel	CT2-LED-2L8-LB-35-U	140	20	0.9	3500	83			
PUG4TPBYE	SLP Lighting	Citadel	CT2-LED-2L4-LB-40-U	71	20	0.9	4000	84			
PT4T92HM	SLP Lighting	Citadel	CT2-LED-2L4-LB-50-U	71	20	0.9	5000	85			
P4PTT12K	SLP Lighting	Citadel	CT2-LED-2L4-LB-35-U	71	20	0.9	3500	83			
PGRKT5MT	SLP Lighting	Citadel	CT2-LED-2L2-LB-40-U	54	20	0.9	4000	84			
PMRMWNG2	SLP Lighting	Citadel	CT2-LED-2L2-LB-50-U	54	20	0.9	5000	85			
P8N2APN9	SLP Lighting	Citadel	CT2-LED-2L2-LB-35-U	54	20	0.9	3500	83			
PC8KEEN6	SLP Lighting	Citadel	CT2-LED-1L4-LB-40-U	54	20	0.9	4000	84			
P6GJPR7Q	SLP Lighting	Citadel	CT2-LED-1L4-LB-50-U	54	20	0.9	5000	85			
PKFNW3P1	SLP Lighting	Citadel	CT2-LED-1L4-LB-35-U	54	20	0.9	3500	83			
PTYEGQ7T	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-U (120V)	89.94	5.78	0.9976	4140	85.79			
P23NEQBE	SLP Lighting	Citadel 4s	CT4s-LED-SMM-4-CC-UNVLT-L-840-347V	77.464	10.47	0.9802	4131	85.81			
P7R27NKK	SLP Lighting	CT4s OSRAM	CT4s-LED-SMM-4-CC-OSRAM-L-840-U	104.5	9.15	0.968	4036	83.5			
P65ZVWFZ	SLP Lighting	CT4s Fortimo	CT4s-LED-SMM-4-CC-FORTIMO-L-840-U	106	13	0.942	3984	83.5			
P000019E0	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-830-U	180	20	0.9	3000	82			
P000019E4	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-830-U	149	20	0.9	3000	82			
P000019E5	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-835-U	149	20	0.9	3500	82			
P000019E1	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-835-U	180	20	0.9	3500	82			
P000019E6	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-840-U	149	20	0.9	4000	82			
P000019E2	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-840-U	180	20	0.9	4000	82			
P000019E7	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-FORTIMO-L-850-U	149	20	0.9	5000	82			
P000019E3	SLP Lighting	Citadel 4/4i	CT4/4i-LED-SMM-4-CC-UNVLT-H-850-U	180	20	0.9	5000	82			
P000019D5	SLP Lighting	Citadel2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-850-U	73	20	0.9	5000	83			
P000019DW	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-850-U	77.468	6.47	0.997	5000	84.4			
P000019DY	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-840-U	53	20	0.9	4000	82			
P000019DV	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-840-U	77	20	0.9	4000	82			
P000019DU	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-835-U	77	20	0.9	3500	82			
P000019DR	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-840-U	73	20	0.9	4000	83			
P000019DQ	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-835-U	73	20	0.9	3500	83			
P000019DZ	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-850-U	53	20	0.9	5000	82			
P000019DP	SLP Lighting	Citadel 2	CT2-LED-SMM-2L4-DIRA-CC-FORTIMO-H-830-U	73	20	0.9	3000	83			
P000019DT	SLP Lighting	Citadel 2	CT2-LED-SMN-2L4-DIRA-CC-UNVLT-H-830-U	76.67	6.5148	0.9969	3000	83.72			
P000019DX	SLP Lighting	Citadel 2	CT2-LED-SMW-2L4-DIRA-CC-OSRAM-L-835-U	53	20	0.9	3500	82			
P000019D0	SLP Lighting	Citadel 2 LED	CT2-LED-M-LIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)	98.5	20	0.9	4040	83.5			
P000019DN	SLP Lighting	Citadel 4/4i LED	CT4i-LED-SMW-4-CC-UPDATE-H-840-U	151	20	0.9	4000	85			
P000019DM	SLP Lighting	Citadel 4/4i LED	CT4-LED-SMW-4-CC-UPDATE-H-840-U	151	10.52	0.948	4000	85.74			
P000019DI	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-830-U	41.7	18.91	0.921	3000	84.06			
P000019DK	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-840-U	42	18.91	0.921	4000	82			
P000019DL	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-850-U	42.143	18.91	0.921	5000	88.85			
P000019DJ	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L2-PG-CC-UNVLT-H-835-U	42	18.91	0.921	3500	82			
P000019DH	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-D310X1	51	20	0.9	4000	82			
P000019DF	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-UNVLT-840-M510C-255X2	84	20	0.9	4000	82			
P000019DE	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-DIRA-FR50-UNVLT-840-M510C-255X2	84	20	0.9	4000	82			
P000019DG	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-UNVLT-840-M510C-255X2	84	20	0.9	4000	82			
P000019DD	SLP Lighting	Citadel 2 LED	CT2-LED-M-DIRA-FR50-Fortimo-840-1RLV1-55W3K9X2 (4000)	80	20	0.9	4000	83.4			
P000019DC	SLP Lighting	Citadel 2 LED	CT2-LED-M-2L4-LIRA-FR50-RF-FORTIMO-1R-840-55W3K9X2	79.6	18.286	0.9091	4000	84			

NOTES: (1) White rows represent product models that actual test reports were evaluated. Gray rows represent the corresponding family models, of a particular model number, which test reports were not evaluated. (2) "X" in the model number represents wildcard characters for multiple product variations. In these cases, all variations are considered approved. This is done to save space on the QPL.